
Activiti

Activiti

Activiti5.x

Activiti5.x org.activiti.engine.delegate.ExecutionLister




```
    <process id="bookflight" name="Book Flight" isExecutable="true">

    <startEvent id="start-event-1" />

    <sequenceFlow id="flow1" sourceRef="start-event-1" targetRef="book-flight" />

    <serviceTask id="book-flight" name="Book flight"
activiti:delegateExpression="${bookFlightBean}" activiti:async="true">

    <extensionElements>

    <activiti:executionListener event="end" delegateExpression="${emailBean}"/>

    </extensionElements>

  </serviceTask>

  <sequenceFlow id="flow2" sourceRef="book-flight" targetRef="charge-credit-card">

  </sequenceFlow>

  <serviceTask id="charge-credit-card" name="Charge credit card"
```

```
activiti:delegateExpression="${chargeCCBean}">

  </serviceTask>

  <sequenceFlow id="flow3" sourceRef="charge-credit-card" targetRef="do-something-else" />

  <serviceTask id="do-something-else" name="Do something else"
activiti:delegateExpression="${doSomethingBean}" activiti:async="true">

  </serviceTask>

  <sequenceFlow id="flow4" sourceRef="do-something-else" targetRef="end-event-1" />

  <endEvent id="end-event-1" />

  </process>
```

, ‘ ’

“ ” “ ”

, ,

Activiti 6.x

Activiti6 ,

```
   <serviceTask id="book-flight" name="Book flight"
activiti:delegateExpression="${bookFlightBean}" activiti:async="true">

   <extensionElements>

   <activiti:executionListener event="end" delegateExpression="${emailBean}"
onTransaction="committed" />

   </extensionElements>

   </serviceTask>
```

executionListener onTransaction onTransaction

```

```

```
&middot;           Committed

&middot;           rolled-back

&middot;           before-commit
```

Activiti5.X onTransaction

“ ” TransactionDependentExecutionListener ,

```
public interface TransactionDependentExecutionListener extends BaseExecutionListener {

  String ON_TRANSACTION_BEFORE_COMMIT = "before-commit";

  String ON_TRANSACTION_COMMITTED = "committed";

  String ON_TRANSACTION_ROLLED_BACK = "rolled-back";



  void notify(String processInstanceId, String executionId, FlowElement
flowElement,

              MapexecutionVariables, MapcustomPropertiesMap);

}
```

TransactionDependentTaskListener

```
   public interface TransactionDependentTaskListener extends BaseTaskListener {

     String ON_TRANSACTION_COMMITTING = "before-commit";

     String ON_TRANSACTION_COMMITTED = "committed";

     String ON_TRANSACTION_ROLLED_BACK = "rolled-back";

     void notify(String processInstanceId, String executionId, Task task,
MapexecutionVariables, MapcustomPropertiesMap);
```

```
    }
```

customPropertiesMap configureable (ReceiveTask)

Activiti

Revision #1
Created 27 March 2020 08:44:47 by
Updated 27 March 2020 09:01:13 by