

Activiti 6.x

API

HistoryService

```
/**HistoryProcessInstance*/
@Test
public void HistoryProcessInstance() {
    List<HistoricProcessInstance> datas =
historyService.createHistoricProcessInstanceQuery()
                .finished().list();

    for (HistoricProcessInstance historicProcessInstance : datas) {
        System.out.println("    id: "+historicProcessInstance.getId());
        System.out.println("    id: "+historicProcessInstance.getDeploymentId());
        System.out.println("    event: "+historicProcessInstance.getEndActivityId());
        System.out.println("    : "+historicProcessInstance.getName());
        System.out.println("PROC_DEF_ID:
"+historicProcessInstance.getProcessDefinitionId());
        System.out.println("    Key: "+historicProcessInstance.getProcessDefinitionKey());
        System.out.println("    : "+historicProcessInstance.getProcessDefinitionName());
        System.out.println("    event: "+historicProcessInstance.getStartActivityId());
    }
}
```

```

168 @Test
169 public void HistoryProcessInstance() {
170     List<HistoricProcessInstance> datas = historyService.createHistoricProcessInstanceQuery()
171         .finished().list();
172     for (HistoricProcessInstance historicProcessInstance : datas) {
173         System.out.println("流程实例id: "+historicProcessInstance.getId());
174         System.out.println("部署id: "+historicProcessInstance.getDeploymentId());
175         System.out.println("结束event: "+historicProcessInstance.getEndActivityId());
176         System.out.println("流程名称: "+historicProcessInstance.getName());
177         System.out.println("PROC_DEF_ID: "+historicProcessInstance.getProcessDefinitionId());
178         System.out.println("流程定义Key: "+historicProcessInstance.getProcessDefinitionKey());
179         System.out.println("流程定义名称: "+historicProcessInstance.getProcessDefinitionName());
180         System.out.println("开始event: "+historicProcessInstance.getStartActivityId());
181     }
182 }
183 }
184

```

Console Problems Progress Properties JUnit

```

<terminated> FullSimpleDemoTest.HistoryProcessInstance [JUnit] D:\Java\jdk1.8.0_131\bin\javaw.exe (2018年9月11日 下午4:14:31)
2018-09-11 16:14:40.246 INFO 7960 --- [main] o.a.e.i.a.DefaultAsyncJobExecutor : Starti
2018-09-11 16:14:40.247 INFO 7960 --- [Thread-3] o.a.e.i.a.AcquireAsyncJobsDueRunnable : {} sta
2018-09-11 16:14:40.247 INFO 7960 --- [Thread-4] o.a.e.i.a.AcquireTimerJobsRunnable : {} sta
2018-09-11 16:14:40.248 INFO 7960 --- [Thread-5] o.a.e.i.a.ResetExpiredJobsRunnable : {} sta
2018-09-11 16:14:40.550 INFO 7960 --- [main] com.ptm.prdemo.FullSimpleDemoTest : Starte
流程实例id: 47501
部署id: 37501
结束event: endevent1
部署名称: null
PROC_DEF_ID: myProcess:1:37504
流程定义Key: myProcess
流程定义名称: 员工请假流程
开始event: startevent1
2018-09-11 16:14:40.749 INFO 7960 --- [Thread-6] s.c.a.AnnotationConfigApplicationContext : Closin

```

<https://blog.csdn.net/Pan1458689676>

HistoryService

FormService

demo

activiti:formProperty

```

<?xml version="1.0" encoding="UTF-8"?>
<definitions xmlns="http://www.omg.org/spec/BPMN/20100524/MODEL"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:activiti="http://activiti.org/bpmn"
xmlns:bpmndi="http://www.omg.org/spec/BPMN/20100524/DI"
xmlns:omgdc="http://www.omg.org/spec/DD/20100524/DC"
xmlns:omgdi="http://www.omg.org/spec/DD/20100524/DI"
typeLanguage="http://www.w3.org/2001/XMLSchema"
expressionLanguage="http://www.w3.org/1999/XPath"
targetNamespace="http://www.activiti.org/test">

```

```


<process id="whatFk" name="whatFk" isExecutable="true">
  <startEvent id="startevent1" name="Start"></startEvent>
  <userTask id="usertask1" name="User Task">
    <extensionElements>
      <activiti:formProperty id="userName" name="userName" type="string"
variable="userName"></activiti:formProperty>
      <activiti:formProperty id="age" name="age" type="string"
variable="age"></activiti:formProperty>
    </extensionElements>
  </userTask>
  <endEvent id="endevent1" name="End"></endEvent>
  <sequenceFlow id="flow1" sourceRef="startevent1" targetRef="usertask1"></sequenceFlow>
  <userTask id="usertask2" name="User Task"></userTask>
  <sequenceFlow id="flow2" sourceRef="usertask1" targetRef="usertask2"></sequenceFlow>
  <sequenceFlow id="flow3" sourceRef="usertask2" targetRef="endevent1"></sequenceFlow>
</process>
<bpmndi:BPMNDiagram id="BPMNDiagram_whatFk">
  <bpmndi:BPMNPlane bpmnElement="whatFk" id="BPMNPlane_whatFk">
    <bpmndi:BPMNShape bpmnElement="startevent1" id="BPMNShape_startevent1">
      <omgdc:Bounds height="35.0" width="35.0" x="210.0" y="130.0"></omgdc:Bounds>
    </bpmndi:BPMNShape>
    <bpmndi:BPMNShape bpmnElement="usertask1" id="BPMNShape_usertask1">
      <omgdc:Bounds height="55.0" width="105.0" x="310.0" y="120.0"></omgdc:Bounds>
    </bpmndi:BPMNShape>
    <bpmndi:BPMNShape bpmnElement="endevent1" id="BPMNShape_endevent1">
      <omgdc:Bounds height="35.0" width="35.0" x="840.0" y="130.0"></omgdc:Bounds>
    </bpmndi:BPMNShape>
    <bpmndi:BPMNShape bpmnElement="usertask2" id="BPMNShape_usertask2">
      <omgdc:Bounds height="55.0" width="105.0" x="560.0" y="120.0"></omgdc:Bounds>
    </bpmndi:BPMNShape>
    <bpmndi:BPMNEdge bpmnElement="flow1" id="BPMNEdge_flow1">
      <omgdi:waypoint x="245.0" y="147.0"></omgdi:waypoint>
      <omgdi:waypoint x="310.0" y="147.0"></omgdi:waypoint>
    </bpmndi:BPMNEdge>
    <bpmndi:BPMNEdge bpmnElement="flow2" id="BPMNEdge_flow2">
      <omgdi:waypoint x="415.0" y="147.0"></omgdi:waypoint>
      <omgdi:waypoint x="560.0" y="147.0"></omgdi:waypoint>
    </bpmndi:BPMNEdge>
    <bpmndi:BPMNEdge bpmnElement="flow3" id="BPMNEdge_flow3">
      <omgdi:waypoint x="665.0" y="147.0"></omgdi:waypoint>

```

```

        <omgdi: waypoint x="840.0" y="147.0"></omgdi: waypoint>
    </bpmndi: BPMNEdge>
</bpmndi: BPMNPlane>
</bpmndi: BPMNDiagram>
</definitions>

```



Progress Properties JUnit

properties:

Id	Name	Type	Expression	Variable	Default	Pattern	Requir...	Reada...	Writea...	Form values
userN...	userName	string		userName			false	true	true	
age	age	string		age			false	true	true	

<https://blog.csdn.net/Pan1458689676>

```

@Test
public void FormType(){
    Deployment dep =
repositoryService.createDeployment().addClasspathResource("bpmn/form.bpmn").deploy();
    ProcessInstance pi = runtimeService.startProcessInstanceByKey("whatFk");
    System.out.println(pi);
    HashMap<String, String> variables = new HashMap<>();
    variables.put("userName", " ");
    variables.put("age", "18");

    Task task = taskService.createTaskQuery().deploymentId(dep.getId()).singleResult();
    formService.submitTaskFormData(task.getId(), variables);
}

```

taskID

ID	PROC_INST_ID	EXECUTION_ID	TASK_ID	NAME	VAR_TYPE	REV	BYTEARRAY_ID	DOUBLE	LONG	TEXT	TEXT2	CREATE_T
47502	47501	47501	(NULL)	userKey	string	0	(NULL)	(NULL)	(NULL)	PTM	(NULL)	2018-09-
52501	47501	47501	(NULL)	days	integer	0	(NULL)	(NULL)	4	4	(NULL)	2018-09-
72512	72505	72505	(NULL)	userName	string	0	(NULL)	(NULL)	(NULL)	潘天森	(NULL)	2018-09-
72513	72505	72505	(NULL)	age	string	0	(NULL)	(NULL)	(NULL)	18	(NULL)	2018-09-
(NULL)	(NULL)	(NULL)	(NULL)	(NULL)	(NULL)	(NULL)	(NULL)	(NULL)	(NULL)	(NULL)	(NULL)	(NULL)

@Test

```
public void FormTypeRead(){
    //75005
    Task task = taskService.createTaskQuery().processInstanceId("75005").singleResult();
    TaskFormData taskFormData = formService.getTaskFormData(task.getId());
    List<FormProperty> formProperties = taskFormData.getFormProperties();
    for (FormProperty formProperty : formProperties) {
        System.out.println(formProperty.getId() + " value=" + formProperty.getValue());
    }
}
```

task

```
2018-09-11 22:49:19.160 INFO 11220 ---
2018-09-11 22:49:19.160 INFO 11220 ---
2018-09-11 22:49:19.480 INFO 11220 ---
userName.value=null
age.value=null
2018-09-11 22:49:23.726 INFO 11220 ---
2018-09-11 22:49:23.730 INFO 11220 ---
2018-09-11 22:49:23.731 INFO 11220 ---
```

activiti:formKey

```
<activiti:formProperty id="age" name="age" type="string" variable="age"/>
</extensionElements>
</userTask>
<endEvent id="endevent1" name="End"></endEvent>
<sequenceFlow id="flow1" sourceRef="startevent1" targetRef="usertask1"></sequenceFlow>
<userTask id="usertask2" name="User Task" activiti:formKey="bpmn/completeForm.form"></userTask>
<sequenceFlow id="flow2" sourceRef="usertask1" targetRef="usertask2"></sequenceFlow>
<sequenceFlow id="flow3" sourceRef="usertask2" targetRef="endevent1"></sequenceFlow>
</process>
<bpmndi:BPMNDiagram id="BPMNDiagram_whatFk">
```

<https://blog.csdn.net/Pan1458689676>

form

@Test

```

public void FormType(){
    Deployment dep = repositoryService.createDeployment()
        .addClasspathResource("bpmn/form.bpmn")
        .addClasspathResource("bpmn/completeForm.form")
        .deploy();

    ProcessInstance pi = runtimeService.startProcessInstanceByKey("whatFk");
    HashMap<String, String> variables = new HashMap<>();
    variables.put("userName", " ");
    variables.put("age", "18");

    Task task = taskService.createTaskQuery().deploymentId(dep.getId()).singleResult();
    formService.submitTaskFormData(task.getId(), variables);
}

```

```

@Test
public void OutFormTypeRead(){
    System.out.println(formService.getRenderedTaskForm("105016")==null);
    HashMap<String, String> variables = new HashMap<>();
    SimpleDateFormat sdf = new SimpleDateFormat("yyyy-MM-dd");
    Calendar ca = Calendar.getInstance();
    String startDate = sdf.format(ca.getTime());
    ca.add(Calendar.DAY_OF_MONTH, 2); // 2
    String endDate = sdf.format(ca.getTime());
    variables.put("startDate", startDate);
    variables.put("endDate", endDate);
    variables.put("reason", " ");
    formService.submitTaskFormData("105016", variables);
}

```

105013	105006	105006	(NULL)	userName	string	0 (NULL)	(NULL)	(NULL)	潘大發	(NULL)	2018-09-11 23:14:
105014	105006	105006	(NULL)	age	string	0 (NULL)	(NULL)	(NULL)	18	(NULL)	2018-09-11 23:14:
107504	105006	105006	(NULL)	reason	string	0 (NULL)	(NULL)	(NULL)	公休	(NULL)	2018-09-11 23:21:
107505	105006	105006	(NULL)	endDate	string	0 (NULL)	(NULL)	(NULL)	2018-09-13	(NULL)	2018-09-11 23:21:
107506	105006	105006	(NULL)	startDate	string	0 (NULL)	(NULL)	(NULL)	2018-09-11	(NULL)	2018-09-11 23:21:
47502	47501	47501	(NULL)	userKey	string	0 (NULL)	(NULL)	(NULL)	PTM	(NULL)	2018-09-11 10:48:


form

```
229     }
230
231     @Test
232     public void OutFormTypeRead() {
233         System.out.println(formService.getRenderedTaskForm("112516"));
234         HashMap<String, String> variables = new HashMap<>();
235         SimpleDateFormat sdf = new SimpleDateFormat("yyyy-MM-dd");
236         Calendar ca = Calendar.getInstance();
    }
}

Console Problems Progress Properties JUnit
<terminated> ActivitiApplicationTests.OutFormTypeRead [JUnit] D:\Java\jdk1.8.0_131\bin\javaw.exe (2018年9月11日 下午11:28:49)
2018-09-11 23:28:54.148 INFO 10580 --- [Thread-4] o.a.e.i.a.AcquireTimerJobsRunnable : {} starting to acquire
2018-09-11 23:28:54.148 INFO 10580 --- [Thread-5] o.a.e.i.a.ResetExpiredJobsRunnable : {} starting to reset
2018-09-11 23:28:54.440 INFO 10580 --- [main] com.ptm.pdemo.ActivitiApplicationTests : Started ActivitiAppli
<div class="control-group">
  <label class="control-label" for="startDate">开始时间: </label>
  <div class="controls">
    <input type="text" id="startDate" name="startDate" class="datepicker" data-date-format="yyyy-mm-dd" required />
  </div>
</div>
<div class="control-group">
  <label class="control-label" for="endDate">结束时间: </label>
  <div class="controls">
    <input type="text" id="endDate" name="endDate" class="datepicker" data-date-format="yyyy-mm-dd" required />
  </div>
</div>
<div class="control-group">
  <label class="control-label" for="reason">请假原因: </label>
  <div class="controls">
    <textarea id="reason" name="reason" required></textarea>
  </div>
</div>
2018-09-11 23:28:57.088 INFO 10580 --- [Thread-6] s.c.a.AnnotationConfigApplicationContext : Closing org.springframework
HTML OK HTML
```

<https://blog.csdn.net/Pan1458689676>

activiti managementService BPMN2.0



Revision #1
Created 25 March 2020 16:31:56 by
Updated 2 April 2020 16:37:05 by